

Overzicht gangbare

Aanlashedelen/ Aanbouwdelen

Andere aanbouwdelen op aanvraag

Bij bestelling graag de bestelcode doorgeven

Inhoud:

Accord.....	4
Ahlmann.....	5
Atlas	7
Avant.....	8
Bobcat.....	9
Caterpillar	10
Claas.....	12
CW-haken	13
Deutz.....	14
Dieci	15
Driepuntbokken.....	16
Engcon	19
Euro.....	20
Everun.....	21
Faucheux.....	22
FEM (Heftruck).....	23
Fuchs	24
Gamma.....	25
Gehl.....	26
Giant	27
Hytex.....	29
Hitachi.....	30
JCB.....	31
John Deere	34
Kaweco.....	35
Knegt.....	36
Knikmops	37
Komatsu	38
Kramer	39
Kubota.....	40
ks.....	43
Mailleux	44
Manitou	45
Matbro	46
Mecalac.....	47




Merlo	48
Multi-One.....	49
Mustang.....	50
New-Holland	51
Norcar	52
Paus.....	53
Pichon	54
Pitbull.....	55
Sauerburger	56
Schaeff	57
Schäffer.....	59
Sennebogen	61
Sherpa.....	62
Striegel.....	63
Terex.....	64
Thaler.....	66
Veneri.....	67
Volvo.....	68
WD2000	70
Weidemann	71
Werklust.....	73
Zettelmeyer	74

Merk / Type	Bestelcode	Prijs
1. Accord Tuinbouw	ATA1	€ 225,-
2. Accord Cat 0	ATA2	€ 225,-
3. Accord Cat 1/2/3	ATA3	€ 250,-

Merk / Type	Bestelcode	Prijs
1. Ahlmann shovel	AAH1	€ 225,-
2. Ahlmann shovel	AAH2	€ 225,-
3. Ahlmann shovel	AAH3	€ 250,-

Merk / Type	Bestelcode	Prijs
3B. Ahlmann shovel	AAH3B	€ 300,-







Haken voor Balenklem

4. Ahlmann shovel

AAH4

€ 350,-





Merk / Type	Bestelcode	Prijs
1. Atlas minishovel	AAT1	€ 200,-
		
2. Atlas shovel	AAT2	€ 225,-
		
3. Atlas shovel	AAT3	€ 300,-
		


Merk / Type	Bestelcode	Prijs
1. Avant minishovel	AAV1	€ 200,-


The technical drawing illustrates the Avant minishovel (AAV1) with the following dimensions and views:


- Overall dimensions:** A total width of 505 and a total height of 223.
- Component dimensions:** Individual components have a width of 40 and a height of 20.
- Internal spacing:** The distance between the two main vertical sections is 414.
- Views:** The drawing includes a top view, a side view, and three isometric views of the components.

Merk / Type	Bestelcode	Prijs
1. Bobcat verreiker	ABO1	€ 350,-
 <p>Technical drawing of the Bobcat verreiker (ABO1) showing three views: a side view with dimensions $\varnothing 83.25$ and 569.5, a front view with dimensions 717 and 767, and a perspective view.</p>		
2. Bobcat schranklader	ABO2	€ 200,-
 <p>Technical drawing of the Bobcat schranklader (ABO2) showing three views: a side view with dimension 403, a top view with dimensions 1138, 45, and 800, and a perspective view.</p>		

Merk / Type	Bestelcode	Prijs
1. Caterpillar verreiker	ACA1	€ 350,-
2. Caterpillar shovel	ACA2	250,-
2B. Caterpillar shovel	ACA2B	€300,-
<p style="text-align: center;">Haken voor Balenklem</p>		

Merk / Type	Bestelcode	Prijs
3. Caterpillar shovel	ACA3	€ 200,-
		

Merk / Type	Bestelcode	Prijs
1. Claas verreiker	ACL1	€ 350,-
		




Bestelcode	A	B	C	D	E	F	Prijs per set
CW-B05	200	Ø 40	80	125	20	180	€ 200,-
CW-H05	200	Ø 40	80	80	20	180	€ 200,-
CW-T05	200	Ø 40	90	125	20	180	€ 225,-
CW-B10	300	Ø 50	70	150	25	315	€ 200,-
CW-H10	300	Ø 50	95	95	25	315	€ 200,-
CW-T10	300	Ø 50	70	150	25	315	€ 250,-
CW-B20/30	475	Ø 60	120	200	30	555	€ 375,-
CW-H20/30-1	475	Ø 60	140	140	25	555	€ 300,-
CW-H20/30-2	475	Ø 60	120	200	30	555	€ 375,-
CW-H20/30-3	475	Ø 60	240	160	30	555	€ 375,-
CW-T20/30	475	Ø 60	120	200	30	555	€ 500,-
CW-20/30 Balenklem	475	Ø 60	542	237	35	555	€ 575,-




Alle vermelde prijzen zijn exclusief B.T.W.




Alle maten zijn in millimeters

Merk / Type	Bestelcode	Prijs
1. Deutz verreiker	ADE1	€ 350,-




Merk / Type	Bestelcode	Prijs
1. Dieci verreiker	AD11	€ 350,-
2. Dieci verreiker	AD12	€ 350,-

Merk / Type	Bestelcode	Prijs
1. Tuinbouw	ATDT	€ 200,-
		
2. Categorie 0	ATD0	€ 200,-
		
3. Categorie 1	ATD1	€ 200,-
		

Merk / Type	Bestelcode	Prijs
4. Categorie 2	ATD2	€ 200,-
		
5. Categorie 3	ATD3	€ 225,-
		
6. Categorie 4 Laag	ATD4	€ 275,-
		

Merk / Type	Bestelcode	Prijs
7. Categorie 4 Hoog	ATD4	€ 275,-




The technical drawing illustrates the dimensions of the three-point hitch. The main vertical dimension is 1100 mm. The horizontal distance from the left edge to the center of the top eye is 70 mm. The width of the top eye is 45 mm. The horizontal distance from the left edge to the center of the bottom eye is 70 mm. The total length of the hitch is 1166.5 mm. The width of the bottom eye is 50.8 mm. A large, faint 'KEMP Machines' watermark is visible in the background of the drawing.

Merk / Type	Bestelcode	Prijs
1. Engcon S60	AEN60	€ 350,-

7. Dimensions and tolerance table

Measurements (mm)	S30 /150	S30 /180	S40	S40 /240	S45	S50	S60	S70	S80	S90 /620	S90 /750	S100	S120
A	199,8 ± 0,2	229,8 ± 0,2	299,8 ± 0,2	299,8 ± 0,2	429,8 ± 0,2	429,8 ± 0,2	479,8 ± 0,2	599,8 ± 0,2	669,8 ± 0,2	749,8 ± 0,2	749,8 ± 0,2	899,8 ± 0,2	924,8 ± 0,2
B	30 H9	30 H9	40 H9	40 H9	45 H9	50 H9	60 H9	70 H9	80 H9	90 H9	90 H9	100 H9	120 H9
C	Max 40	Max 45	Max 50	Max 50	Max 65	Max 65	Max 80	Max 100	Max 115	Max 125	Max 125	Max 150	Max 200
D	148 ± 1	178 ± 1	198 ± 1	238 ± 1	288 ± 1	268 ± 1	338 ± 1	448 ± 1	588 ± 1	618 ± 1	748 ± 1	748 ± 1	868 ± 1
E	200,5 ± 0,5	230,5 ± 0,5	300,5 ± 0,5	300,5 ± 0,5	430,5 ± 0,5	430,5 ± 0,5	480,5 ± 0,5	600,5 ± 0,5	670,5 ± 0,5	750,5 ± 0,5	750,5 ± 0,5	900,5 ± 0,5	925,5 ± 0,5
F	Min 45	Min 50	Min 55	Min 55	Min 70	Min 70	Min 85	Min 115	Min 135	Min 155	Min 155	Min 175	Min 240
G	Max 30	Max 30	Max 40	Max 40	Max 45	Max 45	Max 60	Max 75	Max 90	Max 110	Max 110	Max 125	Max 145
H	Max 85	Max 85	Max 100	Max 100	Max 125	Max 125	Max 150	Max 250					
I	152 ± 1	182 ± 1	202 ± 1	242 ± 1	292 ± 1	272 ± 1	342 ± 1	452 ± 1	592 ± 1	622 ± 1	752 ± 1	752 ± 1	872 ± 1
J	30 f8	30 f8	40 f8	40 f8	45 f8	50 f8	60 f8	70 f8	80 f8	90 f8	90 f8	100 f8	120 f8
K	Max 260	Max 290	Max 380	Max 380	Max 520	Max 520	Max 600	Max 740	Max 830	Max 1000	Max 1000	Max 1150	Max 1250
L	Max 45	Max 50	Max 55	Max 55	Max 70	Max 70	Max 85	Max 115	Max 135	Max 200	Max 200	Max 250	Max 300
M	Max 62	Max 62	Max 72	Max 72	Max 77	Max 77	Max 92	Max 102	Max 122	Max 132	Max 132	Max 142	Max 162
N	Max 25	Max 25	Max 28	Max 28	Max 30	Max 30	Max 35	Max 40	Max 55	Max 70	Max 70	Max 75	Max 80

Merk / Type	Bestelcode	Prijs
1. Euro	ATEU1	€ 100,-
		



Merk / Type	Bestelcode	Prijs
1. Everun minishovel	AEV1	€ 225,-

Technical drawing of the Everun minishovel (AEV1) showing dimensions and views. The drawing includes a side view with dimensions: total height 410, distance from top to bottom hole 353, top radius R20.5, and bottom hole diameter Ø41. A top view shows a width of 25 and a length of 780. A perspective view shows the tool's profile. A large watermark 'KEMP Machines' is visible in the background.

Merk / Type	Bestelcode	Prijs
1. Faucheux	ATF1	€ 250,-

Technical drawing of a mower blade (Faucheux) showing dimensions and views. The drawing includes a side view with dimensions: 329 (total length), R24 (radius), Ø33.25 (hole diameter), and 215 (distance from hole to end). A top view shows a width of 30 and a total length of 915. Two perspective views of the blade are also shown.

Merk / Type	Bestelcode	Prijs
1. FEM 2 (lepelbord Heftruck)	AFE2	€ 250,-
<p>Technical drawing of FEM 2 (lepelbord Heftruck) showing dimensions and component views. The drawing includes a side view of the bucket with a 20° angle, a height of 408, and a width of 30. A top view shows a width of 100 and a length of 950. Two views of the bucket's base are shown, one with two circular holes. Three views of the bucket's side components are shown on the right.</p>		
2. FEM 3 (lepelbord Heftruck)	AFE3	€ 300,-
<p>Technical drawing of FEM 3 (lepelbord Heftruck) showing dimensions and component views. The drawing includes a side view of the bucket with a 20° angle, a height of 508, and a width of 40. A top view shows a width of 100 and a length of 950. Two views of the bucket's base are shown, one with two circular holes. Three views of the bucket's side components are shown on the right.</p>		



Merk / Type	Bestelcode	Prijs
1. Fuchs minishovel	AFU1	€ 225,-
		
2. Fuchs minishovel	AFU2	€ 250,-
		

Merk / Type	Bestelcode	Prijs
1. Gamma minishovel	AGA1	€ 200,-


The technical drawing illustrates the Gamma minishovel (AGA1) with the following dimensions and views:

- Overall height: 223
- Overall width: 505
- Width of the base: 414
- Width of the top section: 40
- Width of the bottom section: 40
- Height of the bottom section: 20

The drawing includes several views: a side profile, a top-down view, a bottom-up view, and three isometric views of the components. A large, semi-transparent 'KEMP Machines' watermark is overlaid on the drawing.



Merk / Type	Bestelcode	Prijs
1. Gehl minishovel	AGE1	€ 200,-
		
2. Gehl minishovel	AGE2	€ 200,-
		

Merk / Type	Bestelcode	Prijs
1. Giant minishovel smal	AGI1	€ 200,-
1B. Giant minishovel smal	AGI1B	€ 250,-
<p style="text-align: right;">Haken voor Stenenriek</p>		
2. Giant minishovel breed	AGI2	€ 200,-

Merk / Type	Bestelcode	Prijs
3. Giant minishovel breed	AGI3	€ 200,-
 <p>The technical drawing illustrates the dimensions and components of the Giant minishovel breed (AGI3). The main dimensions are 223 (height), 505 (width), and 414 (width of the base). A detail shows a 20mm wide base with a 40mm wide top section. The drawing includes several views: a side view, a top view, and three isometric views of the components. A large 'KEMP Machines' watermark is visible in the background.</p>		




Merk / Type	Bestelcode	Prijs
1. Hytec	AHY1	€ 250,-

Technical drawing of the Hytec AHY1 component. The drawing includes a perspective view on the left with dimensions: total height 410, height to the top of the curved part 347, width 155, a hole diameter of Ø42, and a radius of R21. A side view shows a thickness of 20. A top-down view shows a length of 860. Two isometric views of the component are shown on the right.

Merk / Type	Bestelcode	Prijs
1. Hitachi shovel	AHI1	€ 250,-
		
1B. Hitachi shovel	AHI1B	€ 300,-
 <p data-bbox="622 1366 973 1411">Haken voor Balenklem</p>		

Merk / Type	Bestelcode	Prijs
1. JCB Quick Hitch	AJC1	€ 275,-
<p>Technical drawing of the JCB Quick Hitch (AJC1). The drawing includes a side view on the left showing a hook with a radius of R23, a vertical dimension of 250, and a hole diameter of Ø47. A front view in the center shows a total length of 535 and a thickness of 30. To the right are two perspective views of the component.</p>		
2. JCB Tool carrier	AJC2	€ 275,-
<p>Technical drawing of the JCB Tool carrier (AJC2). The drawing includes a side view on the left showing a hook with a radius of R29.5, a vertical dimension of 489.5, a hole diameter of Ø35, and a horizontal offset of 95. A front view in the center shows a total length of 502 and a thickness of 30. To the right are two perspective views of the component.</p>		
3. JCB Q-fit	AJC3	€ 350,-
<p>Technical drawing of the JCB Q-fit (AJC3). The drawing includes a side view on the left showing a hook with a radius of R30.5, a vertical dimension of 600, and a hole diameter of Ø37. A front view in the center shows a total length of 1025 and a thickness of 30. To the right are two perspective views of the component.</p>		


Merk / Type	Bestelcode	Prijs
4. JCB minishovel	AJC4	€ 225,-
5. JCB minishovel	AJC5	€ 200,-
6. JCB shovel	AJC6	€ 250,-




Merk / Type	Bestelcode	Prijs
7. JCB shovel	AJC7	€ 250,-
		
7B. JCB shovel	AJC7B	€ 300,-
 <p data-bbox="622 1366 973 1411" style="text-align: center;">Haken voor Balenklem</p>		
8. JCB shovel	AJC8	€ 350,-
		



Merk / Type	Bestelcode	Prijs
1. John Deere verreiker	AJ01	€ 350,-
2. John Deere tuinbouw	AJ02	€ 250,-




Merk / Type	Bestelcode	Prijs
1. Kaweco (mini)shovel	AKA1	€ 100,-



Technical drawing of a Kaweco (mini)shovel. The drawing shows a side view and a top view. The side view shows a vertical blade with a rounded top (R20) and a handle. The top view shows a rectangular blade with a width of 40 and a length of 1080. The handle is 20 wide and 790 long. The blade is 300 high and 20 wide. The handle is 300 high and 20 wide. The drawing is overlaid with a large 'KEMP Machines' watermark.




Merk / Type	Bestelcode	Prijs
1. Knegt	AKG1	€ 100,-
		


Merk / Type	Bestelcode	Prijs
1. Knikmops minishovel	AKN1	€ 200,-
		
2. Knikmops minishovel	AKN2	€ 200,-
		
3. Knikmops minishovel	AKN3	€ 200,-
		

Merk / Type	Bestelcode	Prijs
1. Komatsu shovel	AKO1	€ 250,-
		
1B. Komatsu shovel	AKO1B	€ 300,-
 <p data-bbox="622 1366 981 1411">Haken voor Balenklem</p>		

Merk / Type	Bestelcode	Prijs
<p>1. Kramer minishovel</p> 	AKR1	€ 200,-
<p>2. Kramer shovel</p> 	AKR2	€ 250,-
<p>3. Kramer verreiker</p> 	AKR3	€ 350,-


Merk / Type	Bestelcode	Prijs
1. Kubota minishovel	AKU1	€ 225,-
		
2. Kubota minishovel	AKU2	€ 200,-
		



Merk / Type	Bestelcode	Prijs
1. Liebherr shovel	ALI1	€ 250,-
		
1B. Liebherr shovel	ALI1B	€ 300,-
 <p style="text-align: center;">Haken voor Balenklem</p>		
2. Liebherr shovel	ALI2	€ 350,-
		


Merk / Type	Bestelcode	Prijs
3. Liebherr shovel	ALI3	€ 500,-
 <p>The technical drawing shows a Liebherr shovel bucket with the following dimensions: 83.5 (width of the top edge), 780.25 (height of the bucket), Ø75.5 (diameter of the top hole), 950 (width of the bucket body), 1000 (width of the bucket body), 90 (width of the bottom edge), and 30 (width of the bottom edge). The drawing includes a side view, a top view, and a perspective view.</p>		

Merk / Type	Bestelcode	Prijs
1. Macks minishovel	AMK1	€ 275,-
2. Macks minishovel	AMK2	€ 275,-

Merk / Type	Bestelcode	Prijs
1. Mailleux	ATM1	€ 225,-



Merk / Type	Bestelcode	Prijs
1. Manitou verreiker (buis)	AMA1	€ 350,-
 <p>Technical drawing of the Manitou verreiker (buis) showing dimensions: Ø82, 351, Ø36, 41, 840, 750, 20. Includes 3D perspective views.</p>		
2. Manitou verreiker (pin-cone)	AMA2	€ 350,-
 <p>Technical drawing of the Manitou verreiker (pin-cone) showing dimensions: Ø34.5, 20, 370, 1176, 1066, Ø81. Includes 3D perspective views.</p>		

Merk / Type	Bestelcode	Prijs
1. Matbro verreicher (pin cone)	AMB1	€ 350,-
		

Merk / Type	Bestelcode	Prijs
1. Mecalac	AMC1	Op aanvraag

Technical drawing of the Mecalac AMC1 component. The drawing includes a side view with dimensions: a total length of 411, a height of 100, and a hole diameter of Ø50. A detail view shows a section with a width of 25 and a length of 350. Two perspective views of the component are also shown.

Merk / Type	Bestelcode	Prijs
1. Merlo ZM1 verreiker	AME1	€ 250,-
2. Merlo ZM2 verreiker	AME2	€ 250,-
3. Merlo ZM3 verreiker	AME3	€ 300,-




Merk / Type	Bestelcode	Prijs
1. Multi-One minishovel	AMO1	€ 200,-

The technical drawing illustrates the Multi-One minishovel (AMO1) with the following dimensions and views:


- Overall height:** 223
- Overall width:** 505
- Blade width:** 40
- Blade height:** 20
- Internal width:** 414

The drawing includes several views of the components:

- A side view of the blade showing its profile.
- A top view of the blade showing its width and height.
- A perspective view of the blade.
- A perspective view of the blade with a mounting bracket.
- A perspective view of the blade with a mounting bracket and a locking pin.
- A perspective view of the blade with a mounting bracket and a locking pin, showing the blade's attachment to the bracket.

Merk / Type	Bestelcode	Prijs
1. Mustang minishovel	AMU1	€ 200,-
		
2. Mustang minishovel	AMU2	€ 200,-
		
3. Mustang minishovel	AMU3	€ 200,-
		

Merk / Type	Bestelcode	Prijs
1. New-Holland verreiker	ANE1	€ 350,-




Technical drawing of the New-Holland verreiker (ANE1) showing dimensions: R40.75, 354, Ø37, 30, and 770. The drawing includes a side view with a hook, a front view, and two perspective views.

Merk / Type	Bestelcode	Prijs
1. Norcar minishovel	ANO1	€ 200,-

The technical drawing illustrates the Norcar minishovel (ANO1) with the following dimensions and views:

- Overall dimensions:** Total length is 505 mm and total height is 223 mm.
- Component dimensions:** The width of the main body is 40 mm, and the width of the base is 414 mm.
- Views:** The drawing includes a side view, a top view, and a perspective view of the shovel head. The shovel head is shown in two orientations: one with the cutting edge facing up and one with it facing down.


Merk / Type	Bestelcode	Prijs
1. Paus shovel	APA1	€ 300,-



The technical drawing illustrates the Paus shovel (APA1) with the following dimensions and views:


- Left View:** Shows a curved profile with a top radius of $R25,5$, a vertical height of 380 , and a hole diameter of $\varnothing 42$.
- Top View:** Shows a rectangular shape with a width of 30 and a length of 580 .
- Right View:** Shows the side profile of the shovel head.
- Bottom View:** Shows the underside of the shovel head.

Merk / Type	Bestelcode	Prijs
1. Pichon minishovel	APN1	€ 250,-



The technical drawing illustrates the dimensions and geometry of the Pichon minishovel (APN1). It includes a detailed profile view on the left with the following specifications: a total height of 323.3, a top radius of R20.5, a vertical distance of 400 from the top edge to the center of a hole with a diameter of Ø36, and a bottom radius of R25. To the right, a side view shows a thickness of 25 and a total length of 556. Further right, two perspective views show the tool's profile and its curved, hook-like end.


Merk / Type	Bestelcode	Prijs
1. Pitbull minishovel	API1	€ 200,-



The technical drawing illustrates the Pitbull minishovel (API1) with the following dimensions and views:

- Left View:** Shows a vertical dimension of 310 and a hole diameter of $\text{Ø}44.7$. The top edge has a radius of $R20.5$.
- Top View:** Shows a width of 25 and a total length of 562.
- Right View:** Shows the profile of the shovel head.
- Bottom View:** Shows the profile of the shovel head from the opposite side.


Merk / Type	Bestelcode	Prijs
1. Sauerburger minishovel	ASA1	€ 200,-





Technical drawing of the Sauerburger minishovel (ASA1) showing dimensions: R20.5, 322.5, Ø37, 30, 662. The drawing includes a side view with a hook, a top view, and a perspective view.

Merk / Type	Bestelcode	Prijs
1. Schaeff shovel	ASH1	€ 250,-
2. Schaeff shovel	ASH2	€ 300,-
3. Schaeff shovel	ASH3	€ 350,-

Merk / Type	Bestelcode	Prijs
4. Schaeff shovel	ASH4	€ 350,-




Merk / Type	Bestelcode	Prijs
1. Schäffer minishovel (oud)	ASC1	€ 225,-
<p>55 345 305 810 520 OF 620 Doorgeven bij bestelling.</p>		
2. Schäffer minishovel haak (nieuw)	ASC2	€ 225,-
<p>R21 280 Ø32 645 595 25</p>		
3. Schäffer shovel	ASC3	€ 250,-
<p>R21 280.5 Ø43.5 760 700 30</p>		

Merk / Type	Bestelcode	Prijs
4. Schäffer shovel	ASC4	€ 250,-
		
5. Schäffer shovel	ASC5	€ 300,-
		

Sennebogen

Merk / Type	Bestelcode	Prijs
1. Sennebogen	ASE1	€ 300,-



Merk / Type	Bestelcode	Prijs
1. Sherpa minishovel	ASP1	€ 300,-




The technical drawing illustrates the Sherpa minishovel (ASP1) with the following dimensions and features:

- Overall height: 325.5
- Top width: 27
- Internal offset: 35.5
- Bottom diameter: $\text{Ø}32$
- Distance between mounting points: 154
- Overall length: 622
- Angle of the shovel head: 135°

The drawing includes several views: a side view of the shovel head, a top view of the mounting bracket, a perspective view of the shovel head, and a perspective view of the mounting bracket. The background features a large, semi-transparent watermark of the KEMP Machines logo.


Merk / Type	Bestelcode	Prijs
1. Striegel minishovel	AST1	€ 250,-

The technical drawing illustrates the assembly of a scraper blade. The main dimensions are 805 mm for the total length and 445 mm for the height. A 40 mm offset is shown for the top edge. A 90 mm dimension is indicated for the bottom edge of the blade. A 65 mm dimension is shown for the width of the mounting bracket. The drawing includes several views of the components: a perspective view of the blade, a top view of the blade, a side view of the blade, and a perspective view of the mounting bracket. The background features a large, semi-transparent watermark of the 'KEMP Machines' logo.



Merk / Type	Bestelcode	Prijs
1. Terex verreiker	ATE1	€ 300,-
		
2. Terex shovel	ATE2	€ 250,-
		
3. Terex shovel	ATE3	€ 300,-
		




Merk / Type	Bestelcode	Prijs
4. Terex shovel	ATE4	€ 350,-
5. Terex shovel (Volvo-aansluiting)	ATE5	€ 350,-

Merk / Type	Bestelcode	Prijs
1. Thaler minishovel	ATH1	€ 250,-



Technical drawings of the Thaler minishovel. The top left drawing is a side view showing a width of 760 and a height of 25. The bottom left drawing is a top-down view showing a width of 160. The right drawing is a detailed side view of the shovel head with dimensions: 54, 41, 270, 400, 30, and 35.


Merk / Type	Bestelcode	Prijs
1. Veneri shovel	AVE1	€ 300,-
		
2. Veneri shovel	AVE2	€ 300,-
		

Merk / Type	Bestelcode	Prijs
1. Volvo shovel	AVO1	€ 250,-
		
2. Volvo shovel	AVO2	€ 250,-
		
2B. Volvo shovel	AVO2B	€ 300,-
 <p data-bbox="655 1921 1010 1962" style="text-align: center;">Haken voor Balenklem</p>		

Merk / Type	Bestelcode	Prijs
3. Volvo shovel	AVO3	€ 300,-
4. Volvo shovel	AVO4	€ 350,-
5. Volvo shovel	AVO5	€ 500,-

Merk / Type	Bestelcode	Prijs
1. WD2000 shovel (klasse 5-6)	AWD1	€ 500,-
2. WD2000 shovel (klasse 7-8)	AWD2	€ 600,-


Merk / Type	Bestelcode	Prijs
1. Weidemann minishovel	AWE1	€ 200,-
2. Weidemann shovel	AWE2	€ 300,-
2B. Weidemann shovel	AWE2B	€ 425,-
<p style="text-align: center;">Haken voor Balenklem</p>		

Merk / Type	Bestelcode	Prijs
3. Weidemann minishovel	AWE3	€ 250,-
 <p>The technical drawing shows a side view of a minishovel blade with the following dimensions: a total height of 420, a base width of 40, a mounting hole diameter of 40, a distance of 245 from the mounting hole to the first of four teeth, and a distance of 200 between the teeth. The total length of the blade is 850. A distance of 100 is shown from the bottom edge to the center of the teeth. An exploded view on the right shows five individual teeth and a circular component with a diameter of 35 (Ø35).</p>		

Merk / Type	Bestelcode	Prijs
1. Werklust shovel	AWR1	€ 450,-

Technical drawing of the Werklust shovel attachment. The drawing includes a side view of the shovel head with dimensions: R51.25 (radius), 423.6 (height), and Ø52 (diameter). A top view shows the shovel head with dimensions: 1130 (width), 1150 (width), and 30 (thickness). A perspective view shows the shovel head attached to a handle. A separate perspective view shows the shovel head attached to a different handle configuration.

Merk / Type	Bestelcode	Prijs
1. Zettelmeyer shovel	AZE1	€ 250,-
2. Zettelmeyer/Volvo shovel	AVO1	€ 250,-
3. Zettelmeyer/Volvo shovel	AVO2	€ 250,-

Merk / Type	Bestelcode	Prijs
3B. Zettelmeyer/Volvo shovel	AVO2B	€ 300,-
 <p style="text-align: center;">Haken voor Balenklem</p>		
4. Zettelmeyer/Volvo shovel	AVO3	€ 300,-
